

52S・17S 板・52S 縞板(1)

重量 kg/枚

| 厚さ | 52S 1000×2000 | 52S 1250×2500 | 17S 1000×2000 | 52S 1250×2500 | 52S 1250×2500 |
|-----|---------------|---------------|---------------|---------------|---------------|
| | | | | 縞板神戸材 | 縞板5本線 |
| 0.5 | 2.70 | | | | |
| 0.6 | 3.20 | | | | |
| 0.8 | 4.29 | 6.70 | | | |
| 1.0 | 5.40 | 8.38 | 5.6 | | |
| 1.2 | 6.43 | 10.05 | | | |
| 1.5 | 8.04 | 12.56 | 8.4 | | |
| 2.0 | 10.72 | 16.75 | 11.2 | | |
| 2.5 | 13.40 | 20.94 | | 22.3 | 23.9 |
| 3.0 | 16.08 | 25.13 | 16.8 | 26.5 | 27.5 |
| 3.2 | | | | 28.2 | |
| 3.5 | | | | 30.7 | 30.7 |
| 4.0 | 21.44 | 33.50 | 22.4 | | |
| 4.5 | | | | 39.0 | 40.8 |
| 5.0 | 26.80 | 41.88 | 28.0 | | |
| 6.0 | 32.16 | 50.25 | 33.5 | 51.5 | |
| 8.0 | 42.88 | 67.00 | 44.8 | | |
| 10 | 53.60 | 83.75 | 56.0 | | |
| 12 | 64.32 | 100.5 | 67.2 | | |
| 15 | 80.40 | 125.6 | 84.0 | | |
| 16 | 85.76 | | | | |
| 18 | 96.48 | | | | |
| 20 | 107.2 | 167.5 | 112 | | |
| 22 | 117.4 | 184.3 | | | |
| 25 | 134.0 | 209.4 | 140 | | |
| 30 | 160.8 | 251.3 | 168 | | |
| 35 | 187.6 | 293.2 | | | |
| 40 | 214.4 | 335.0 | | | |
| 45 | 241.2 | | | | |

各種アルミ切板(1)

| 厚さ | 銅種 | 純アルミ A1050P | 17S A2017P | 52S A5052P | 5083 A5083P | 61S A6061P | MAP52 | YH75 | AQ300 |
|------|----|----------------|---------------|---------------|----------------|---------------|-------|------|-------|
| 1.0 | | ○ | | ○ | | | | | |
| 1.5 | | ○ | | ○ | | | | | |
| 2.0 | | ○ | | ○ | | | | | |
| 2.5 | | ○ | | | | | | | |
| 3.0 | | ○ | ○ | ○ | ○ | ○ | | ○ | |
| 4.0 | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | |
| 5.0 | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | |
| 6.0 | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| 7.0 | | | | ○ | | | ○ | | |
| 8.0 | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| 9.0 | | | | ○ | | | ○ | | |
| 10.0 | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| 11.0 | | | | | | | | | ○ |
| 12.0 | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| 15.0 | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| 16.0 | | | | ○ | ○ | | ○ | | ○ |
| 18.0 | | | ○ | ○ | ○ | | ○ | | |
| 20.0 | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| 21.0 | | | | | | | | | ○ |
| 22.0 | | | | ○ | ○ | ○ | ○ | | |
| 25.0 | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| 26.0 | | | | | | | | | ○ |
| 28.0 | | | | ○ | | | | | |
| 30.0 | | ○ | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| 32.0 | | | | ○ | | | ○ | | |
| 35.0 | | | ○ | ○ | ○ | ○ | ○ | | ○ |
| 36.0 | | | | ○ | | | | | |
| 40.0 | | ○ | ○ | ○ | ○ | ○ | ○ | | ○ |
| 45.0 | | | ○ | ○ | ○ | ○ | ○ | | ○ |

各種アルミ切板(2)

| 厚さ | 銅種 | 純アルミ A1050P | 17S A2017P | 52S A5052P | 5083 A5083P | 61S A6061P | MAP52 | Y H75 | AQ300 |
|------|----|----------------|---------------|---------------|----------------|---------------|-------|-------|-------|
| 50.0 | | ○ | ○ | ○ | ○ | ○ | ○ | | ○ |
| 55.0 | | | ○ | ○ | ○ | ○ | | | ○ |
| 60.0 | | | ○ | ○ | ○ | ○ | | | ○ |
| 65.0 | | | ○ | ○ | ○ | | | | ○ |
| 70 | | | ○ | ○ | ○ | ○ | | | ○ |
| 75 | | | ○ | ○ | ○ | | | | ○ |
| 80 | | | ○ | ○ | ○ | ○ | | | ○ |
| 85 | | | ○ | ○ | ○ | | | | ○ |
| 90 | | | ○ | ○ | ○ | ○ | | | ○ |
| 95 | | | ○ | ○ | | | | | ○ |
| 100 | | | ○ | ○ | ○ | ○ | | | ○ |
| 105 | | | | ○ | | | | | |
| 110 | | | ○ | ○ | ○ | | | | ○ |
| 115 | | | | ○ | | | | | |
| 120 | | | ○ | ○ | ○ | ○ | | | ○ |
| 125 | | | | ○ | | | | | ○ |
| 130 | | | ○ | ○ | | | | | ○ |
| 135 | | | | ○ | | | | | |
| 140 | | | | ○ | | | | | ○ |
| 145 | | | | ○ | | | | | |
| 150 | | | ○ | ○ | ○ | ○ | | | ○ |
| 160 | | | | ○ | | | | | |
| 170 | | | | ○ | | | | | |
| 180 | | | | ○ | | | | ○ | ○ |
| 190 | | | | ○ | | | | | |
| 200 | | | | ○ | | | | ○ | ○ |
| 225 | | | | | | | | | ○ |
| 230 | | | | ○ | | | | ○ | |
| 250 | | | | ○ | | | | ○ | ○ |

