

プラスチック・その他目次

MCナイロン板	155
MCナイロン丸棒	157
MCナイロンパイプ	161
ジュラコン板	162
ジュラコン丸棒	163
ジュラコンパイプ	164
鉛板	165

MC ナイロン板(1)

厚さ	材質 サイズ	MC901			MC900NC		MC801	
		600×1200	1000×1000	1000×2000	600×1200	1000×1000	600×1200	1000×1000
5		○	○	○	○	○	○	○
7		○	○	○	○	○	○	○
10		○	○	○	○	○	○	○
12		○	○	○	○	○	○	○
15		○	○	○	○	○	○	○
20		○	○	○	○	○	○	○
25		○	○	○	○	○	○	○
30		○	○	○	○	○	○	○
35		○	○	○	○	○	○	○
40		○	○	○	○	○	○	○
45		○	○	○	○	○	○	○
50		○	○	○	○	○	○	○
60		○	○		○			
70		○	○		○			
80		○	○		○			
90		○	○		○			
100		○	○		○			
110		○						
120		○						
130		○						
140		○						

MC ナイロン板(2)

厚さ	材質	MC928-IR	MC703HL	MC602ST	MC501CD R2	MC501CD R6	MC501CD R9	MC500AS R11
	サイズ	600×1200	600×1200	600×1200	600×1200	600×1200	600×1200	600×1200
5			○	○	○	○		
7			○	○	○	○		
10			○	○	○	○	○	○
12			○	○	○	○	○	○
15			○	○	○	○	○	○
20	○	○	○	○	○	○	○	○
25	○	○	○	○	○	○	○	
30	○	○	○	○	○	○		
35			○	○				
40			○	○				
45			○	○				
50			○	○				

MC ナイロン丸棒(1)

材質 長さ 外径	MC 9 0 1			MC 9 0 0 NC		MC 8 0 1		
	500	1000	300	500	1000	500	1000	300
20	○	○		○	○	○	○	
25	○	○		○	○	○	○	
30	○	○		○	○	○	○	
35	○	○		○	○	○	○	
40	○	○		○	○	○	○	
45	○	○		○	○	○	○	
50	○	○		○	○	○	○	
55	○	○		○	○	○	○	
60	○	○		○	○	○	○	
65	○	○		○	○	○	○	
70	○	○		○	○	○	○	
75	○	○		○	○	○	○	
80	○	○		○	○	○	○	
85	○	○		○	○	○	○	
90	○	○		○	○	○	○	
95	○	○		○	○	○	○	
100	○	○		○	○	○	○	
110	○	○		○	○	○	○	
120	○	○		○	○	○	○	
130	○	○		○	○	○	○	
140	○	○		○	○	○	○	
150	○	○	○	○	○	○	○	○
160	○	○	○	○	○	○		○
170	○	○		○	○	○		
180	○	○	○	○	○	○		○
190	○	○		○	○	○		
200	○	○	○	○	○	○		○
225	○		○					○

MC ナイロン丸棒(2)

材質 長さ 外径	MC901			MC900NC		MC801		
	500	1000	300	500	1000	500	1000	300
250	○		○					○
275	○		○					
300	○		○					○
325	○		○					
350	○		○					○
375	○		○					
400	○		○					
450	○		○					
500			○					

MC ナイロン丸棒(3)

外径	材質	MC928-IR	MC703HL	MC602ST	MC501CD R2		
	長さ	500	500	500	200	500	1000
10						○	○
15						○	○
20			○			○	○
25			○			○	○
30			○			○	○
35			○			○	○
40			○			○	○
45			○			○	○
50			○	○		○	○
55				○			
60				○	○		
65				○			
70	○			○	○		
75				○			
80	○			○	○		
90	○			○	○		
100	○			○	○		
110	○			○	○		
120	○			○	○		
130	○			○	○		
140				○	○		
150				○	○		
160				○			
180				○			
200				○			

MC ナイロン丸棒(4)

材質 長さ 外径	MC501CD R6		MC501CD R9	MC500AS R11		
	500	1000	200	200	500	1000
10	○	○			○	○
15	○	○			○	○
20	○	○			○	○
25	○	○			○	○
30	○	○			○	○
35	○	○			○	○
40	○	○			○	○
45	○	○			○	○
50	○	○			○	○
60			○	○		
70			○	○		
80			○	○		
90			○	○		
100			○	○		
110			○			
120			○	○		
130						
140						
150				○		

MC ナイロンパイプ

外径×内径×長さ	MC901 (青)	MC801 (暗灰色)	MC703HL (紫)	外径×内径×長さ	MC901 (青)	MC801 (暗灰色)	MC703HL (紫)
30 × 15 × 350	○	○		120 × 35 × 500			○
40 × 20 × 〃	○	○		120 × 70 × 350	○		
50 × 25 × 350	○	○		125 × 75 × 350	○	○	
50 × 25 × 500			○	125 × 75 × 1100	○		
55 × 25 × 500			○	125 × 100 × 350	○		
55 × 30 × 350	○	○		130 × 35 × 500			○
60 × 25 × 350	○	○		130 × 80 × 350	○		
60 × 25 × 500			○	140 × 40 × 500			○
65 × 25 × 500			○	140 × 90 × 350	○		
65 × 40 × 350	○	○		150 × 40 × 300			○
70 × 25 × 350	○	○		150 × 100 × 350	○	○	
70 × 25 × 500			○	150 × 100 × 1100	○		
70 × 45 × 350	○	○		150 × 125 × 350	○		
75 × 30 × 500			○	160 × 40 × 300			○
75 × 50 × 350	○	○		165 × 115 × 350	○		
80 × 30 × 350	○	○		175 × 100 × 350	○		
80 × 30 × 500			○	175 × 125 × 350	○		
80 × 55 × 350	○	○		200 × 150 × 350	○		
90 × 30 × 500			○	200 × 150 × 1100	○		
90 × 40 × 350	○	○		225 × 175 × 350	○		
90 × 65 × 〃	○	○		250 × 200 × 350	○		
100 × 30 × 500			○	275 × 225 × 350	○		
100 × 50 × 350	○	○		300 × 250 × 350	○		
100 × 50 × 1100	○			350 × 300 × 350	○		
100 × 75 × 350	○	○		400 × 350 × 350	○		
100 × 75 × 1100	○						
110 × 35 × 500			○				
110 × 60 × 350	○	○					

ジュラコン板 POM-NC(ナチュラル)

厚さ \ サイズ	600×1200	600×2000	500×1000	1000×1000	1000×2000
5	○	○	○		
6	○	○	○	○	○
8	○	○	○	○	○
10	○	○	○	○	○
12	○	○	○	○	○
15	○	○	○	○	○
20	○	○	○	○	○
25	○		○	○	
30	○		○	○	
35	○		○	○	
40	○		○	○	
50	○		○	○	
60	○		○		
70	○		○		
80	○		○		
90	○		○		
100	○		○		

ジュラコン板 POM-BC(ブラック)

厚さ \ サイズ	600×1200	500×1000	厚さ \ サイズ	600×1200	500×1000
5	○	○	25	○	○
6	○	○	30	○	○
8	○	○	35	○	○
10	○	○	40	○	○
12	○	○	50	○	○
15	○	○	60	○	
20	○	○	70	○	

ジュラコン丸棒

外径	POM-NC (ナチュラル)	POM-BC (ブラック)	POM-NC センタレス	POM-BC センタレス	外径	POM-NC (ナチュラル)	POM-BC (ブラック)	POM-NC センタレス	POM-BC センタレス
4	1M・2M	1M	1M・2M	1M	28			1M	
5	1M・2M	1M	1M・2M	1M	29			1M	
6	1M・2M	1M	1M・2M	1M	30	1M・2M	1M	1M	1M
7			1M・2M		35	1M	1M		
8	1M・2M	1M	1M・2M	1M	40	1M	1M		
9			1M・2M		45	1M	1M		
10	1M・2M	1M	1M・2M	1M	50	1M	1M		
11			1M・2M		55	1M	1M		
12			1M・2M		60	1M	1M		
12.5	1M・2M	1M	1M・2M	1M	65	1M	1M		
13			1M・2M		70	1M	1M		
14			1M・2M		75	1M	1M		
15	1M・2M	1M	1M・2M	1M	80	1M	1M		
16			1M・2M		85	1M	1M		
17			1M・2M		90	1M	1M		
17.5	1M・2M	1M	1M・2M	1M	100	1M	1M		
18			1M・2M		110	1M	1M		
19			1M・2M		120	1M	1M		
20	1M・2M	1M	1M・2M	1M	130	1M	1M		
21			1M・2M		140	1M	1M		
22			1M・2M		150	1M	1M		
22.5	1M・2M	1M	1M・2M	1M	160	1M	1M		
23	1M		1M・2M		180	1M	1M		
24			1M・2M		200	1M	1M		
25	1M・2M	1M	1M・2M	1M	225	1M	1M		
26			1M		250	1M	1M		
27			1M						
27.5	1M・2M	1M							

ジュラコンパイプ POM-NC(ナチュラル)

長さ⇨1000

外 径 × 内 径	外 径 × 内 径
30 × 20	80 × 60
40 × 30	90 × 70
50 × 30	100 × 80
50 × 40	125 × 100
60 × 40	150 × 100
60 × 50	200 × 150
70 × 50	250 × 200

鉛 板

厚さ	サイズ 重量	1000×2000	1000×5000
		1枚重量	1枚重量
0.3		kg	kg
0.5		11.40	
0.8		18.20	
1.0		22.80	57.00
1.5		34.00	85.00
2.0		45.40	113.5
3.0		68.00	170.0

ニッケル基合金目次

ニッケル基合金板 ハステロイC-276・C-22	87
ニッケル基合金パイプ ハステロイC-276	87
ニッケル基合金棒 ハステロイC-276・C-22	88

ALLOY C-276・C-22板(ハステロイ C-276・C-22相当)

	ALLOY C-276	ALLOY C-22		ALLOY C-276	ALLOY C-22
1×1219×L	Coil	Coil	9×w	—	—
1.6×w×L	1219×Coil	1000×Coil	10×1524×4050	2000×4050	2000×4050
2×1219×4050	1000×Coil	1000×Coil	12×1524×4020	2000×4050	2000×4050
2×2000×4020	—	2000×4050	14×2000×4050	○	—
3×1219×4050	—	—	16×2000×4000	○	○
3×1524×4050	—	—	20×1219×2438	1500×3000	2000×4000
3×2000×4050	○	○	25×1524×3048	○	1500×3000
4×1524×4050	—	○	28×1524×3049	—	—
4×2000×4050	○	○	30×1524×3048	1219×3048	1219×3048
5×1524×4050	—	—	35×1500×3000	○	—
5×2000×4050	○	○	40×1500×3000	○	1524×3048
6×1524×4050	—	○	50×1524×3000	○	1524×3050
6×2000×4050	○	○			
8×1524×4050	—	—			
8×2000×4020	2000×4050	2000×4050			

ALLOY C-276パイプ(ハステロイ C-276相当品)

長さ⇒4000

C 276- S (継目無鋼管)			C 276- A (溶接管)		
外 径 × 肉 厚			外 径 × 肉 厚		
21.7	×	2.8	48.6	×	3.0
21.7	×	3.0	60.5	×	3.0
25.4	×	3.0	89.1	×	3.0
27.2	×	2.9	114.3	×	3.0
27.2	×	3.0			
34	×	3.0			
34	×	3.4			
42.7	×	3.6			
48.6	×	3.7			
60.5	×	3.9			

ALLOY C-276・C-22丸棒(ハステロイ C-276・C-22相当)

	ALLOY C-276	ALLOY C-22		ALLOY C-276	ALLOY C-22
2	○	○	42	○	○
3	○	○	45	○	○
3.5	○		50	○	○
4	○	○	55	○	○
4.4	○		60	○	○
5	○	○	65	○	○
5.3	○		70	○	○
5.5	○	○	75	○	○
6	○	○	80	○	○
7.1	○		85	○	
8	○	○	90	○	○
8.95	○		95	○	
10	○	○	100	○	○
12	○	○	110	○	○
13	○	○	120	○	○
16	○	○	130	○	○
19	○		140	○	○
20	○	○	150	○	○
22	○	○	160	○	○
24	○		180	○	○
25	○	○	200	○	○
28	○	○	230	○	○
30	○	○	250	○	○
32	○	○			
35	○	○			
36	○				
38	○	○			
40	○	○			