

チタン目次

純チタン・チタン合金板	151
純チタン・チタン合金棒	152
純チタンパイプ	153

純チタン板(1)

TP340C

厚さ \ サイズ	1000×2000	1219×2438	1219×3048	1219×4000	1524×3048
0.8		○			
1.0	○	○		○	
1.5		○		○	
2.0	○	○	○	○	
2.5		○			
3.0	○	○	○	○	○

純チタン・チタン合金板

○=TP340H
□=TP340Pd

厚さ \ サイズ	1219×2438	1219×4000	1524×3048	1524×4000	2000×4000
3	□				
4	□	○	○	○	
5	□	○	○	○	
6	□	○	○	○	
8	□		○	○	○
9					○
10	□		○	○	○
12			○	○	○
14				○	○
15	○			○	
16	○			○	○
18	○			○	○
20	○			○	○
22	○				○
25	○			○	○
28					○
30					○
40					○

純チタン・チタン合金棒

ピーリングまたはC G仕上げ

材質 直径	TB340	TB340Pb	6A ℓ -4V	材質 直径	TB340	TB340Pb	6A ℓ -4V
10	○			105	○		
12	○			110	○		○
13	○			120	○		○
14	○			130	○		○
15	○			140	○		
16	○			150	○		○
18	○		○	160	○		
19	○			170	○		
20	○	○	○	180	○		
22	○			190	○		
25	○	○	○	200	○		
28	○			210	○		
30	○	○	○	220	○		
32	○			230	○		
35	○			240	○		
40	○	○	○	250	○		
45	○			260	○		
50	○	○	○	270	○		
55	○			280	○		
60	○	○	○	290	○		
65	○			300	○		
70	○	○	○				
75	○						
80	○	○	○				
85	○						
90	○	○	○				
95	○						
100	○	○	○				

純チタン配管用パイプ

長さ⇒4000
一部 2000

外径 肉厚	1.5	2.0	3.0	4.0	外径 肉厚	1.5	2.0	3.0	4.0
13.8	○	○			216.3			○	
17.3	○	○	○		267.4			○	
21.7	○	○	○						
27.2	○	○	○						
34.0	○	○	○	○					
42.7	○	○	○	○					
48.6	○	○	○	○					
60.5		○	○	○					
76.3		○	○	○					
89.1		○	○	○					
101.6			○						
114.3		○	○	○					
139.8			○						
165.2			○						

純チタンセミシームレスパイプ

長さ⇒4000

外径×肉厚	TTP 340 WD		
6×1.0	○		
8×1.0	○		
10×1.0	○		
12×1.0	○		
13×1.0	○		
14×1.0	○		